



# Product Specifications - Written

**Product Name:** Cyclone

**Part Numbers:** 690-209-58123 & 690-209-58124

**General Notes:**

The **Cyclone** is a medium height slide with integral polyethylene runway, handrail and ladder. The Cyclone requires no plumbing or water supply and is available in a right curve model only.

**Application:**

This slide is intended for in-ground residential swimming pools only. A minimum of a 42" water depth is required. With proper deck anchoring, this product is suitable for use in most geographic regions.

**Specifications:**

- 1 **Runway:** The slide runway is made from thick, durable, roto-molded polyethylene.
- 2 **Handrail:** The two (2) ladder handrails are integrated to the ladder and are made of molded polyethylene.
- 3 **Ladder:** The ladder is inclined 15° off vertical with four (4) enclosed steps for ease of climbing.
- 4 **Anchor Assembly (Included):** Slide is anchored to the deck using seven (7) ½" (12.70mm) diameter stainless steel anchor studs with hardware.


**Product Numbers and Shipping Weight:**

MODEL NUMBER	DESCRIPTION	SHIPPING WEIGHT
690-209-58123	Cyclone Right Hand - Sandstone	130 lbs. (59kg)
690-209-58124	Cyclone Right Hand - Gray Granite	130 lbs. (59kg)

Specification Number:	<b>SRS-208</b>	
Product Description:	<b>Cyclone Slide</b>	
S.R. Smith Part Number:	<b>690-209-58123, 690-209-58124</b>	
Revision:	B	Date: 7/25/13
Written By:	K. Ball	Date: 12/08/05
Approved By:	J. Bonader	Date: 12/08/05
Page 2 of 3	Proprietary and confidential: The information contained in this specification is the sole property of S.R. Smith LLC. Any reproduction in part or whole without the written consent of S.R. Smith LLC is prohibited.	

**S.R. Smith, LLC**  
**P.O. Box 400, 1017 SW Berg Parkway**  
**Canby, Oregon 97013**  
**Tel: (800) 824-4387 (503) 266-2231**  
**Fax: (503) 266-4334**  
**www.srsmith.com**


## CYCLONE SLIDE (RIGHT CURVE)




Specification Number:	<b>SRS-208</b>	
Product Description:	<b>Cyclone Slide (Right Curve)</b>	
S.R. Smith Part Number:	<b>690-209-58123 &amp; 690-209-58124</b>	Scale: NTS
Revision:	B	Date: 7/25/13
Written By:	K. Ball	Date: 12/08/05
Approved By:	J. Bonader	Date: 12/08/05
Page 1 of 3	Proprietary and confidential: The information contained in this specification is the sole property of S.R. Smith LLC. Any reproduction in part or whole without the written consent of S.R. Smith LLC is prohibited.	

**S.R. Smith, LLC**  
 P.O. Box 400, 1017 SW Berg Parkway  
 Canby, Oregon 97013  
 Tel: (800) 824-4387 (503) 266-2231  
 Fax: (503) 266-4334  
[www.srsmith.com](http://www.srsmith.com)

### Cyclone Slide Placement



### CRITICAL DIMENSIONS FOR SLIDE PLACEMENT



### SLIDE MINIMUM CLEARANCE AREA

Specification Number:	<b>SRS-208</b>	
Product Description:	<b>Cyclone Slide</b>	
S.R. Smith Part Number:	<b>690-209-58123 &amp; 690-209-58124</b>	Scale: NTS
Revision:	B	Date: 7/25/13
Written By:	K. Ball	Date: 12/08/05
Approved By:	J. Bonader	Date: 12/08/05
Page 3 of 3	Proprietary and confidential: The information contained in this specification is the sole property of S.R. Smith LLC. Any reproduction in part or whole without the written consent of S.R. Smith LLC is prohibited.	

**S.R. Smith, LLC**  
P.O. Box 400, 1017 SW Berg Parkway  
Canby, Oregon 97013  
Tel: (800) 824-4387 (503) 266-2231  
Fax: (503) 266-4334  
www.srsmith.com